

LISBONA 2

VERTICAL MULTI-DECK & SEMI-VERTICAL • REMOTE REFRIGERATION UNIT



16/11/2022 content modifiable without notice.

arneg

ITALIA


YOUR GLOBAL PARTNER FOR RETAIL SOLUTIONS

LISBONA 2 VRT-A-1 TN V LINEARE R LF


Length without side panels	mm	1250		1875		2500		3750	
		205	218	205	218	205	218	205	218
Height	cm	-	-	-	-	-	-	-	-
Temperature class		3 M2							
Preservation temperature	°C	+2/+4							
Horizontal display area*	m ²	Depth	85	3,87	5,8	7,74	11,61		
			95	3,99	5,99	7,99	11,98		
			105	4,12	6,18	8,24	12,36		
Energy class**		Depth	85 - 95 - 105						

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.




85 H205 LF




85 H218 LF




95 H205 LF



95 H218 LF



105 H205 LF




105 H218 LF

LISBONA 2 VRT-A-1 TN V LINEARE R MF


Length without side panels		1250		1875		2500		3750			
Height	mm	205	218	205	218	205	218	205	218		
Temperature class	3 M1	•	•	•	•	•	•	•	•		
	3 M2	•	•	•	•	•	•	•	•		
	3 H1	•	•	•	•	•	•	•	•		
Preservation temperature	0/+2	•	•	•	•	•	•	•	•		
	+2/+4	•	•	•	•	•	•	•	•		
	+4/+6	•	•	•	•	•	•	•	•		
Horizontal display area*	m ²	Depth	85	3,87	5,8		-	7,74	11,61		
		95	3,99	5,99		7,99		11,98			
		105	4,12	6,18	-	8,24	-	12,36	-		
Energy class**	Depth	85	A ↑ G E		A ↑ G E		-	A ↑ G E		A ↑ G E	
		95	A ↑ G E		A ↑ G E		A ↑ G E		A ↑ G E		
		105	A ↑ G E		A ↑ G E		-	A ↑ G E		-	

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.




85 H205 MF




85 H218 MF




95 H205 MF



95 H218 MF




105 H205 MF




105 H218 MF

LISBONA 2 VRT-A-1 TN V TESTATA R LF

Overall length	mm	1975	2183
Height	cm	218	218
Temperature class	3 M2	•	•
	3 H1	•	•
	+2/+4	•	•
Preservation temperature	°C	•	•
	+4/+6	•	•
Horizontal display area*	m ²	5,8	6,45
Energy class**		A G E	A G E




85 H205 LF




85 H218 LF

LISBONA 2 VRT-A-1 TN V TESTATA R MF

Overall length	mm	1774	2183
Height	cm	205	218
Temperature class	3 M1	•	•
	3 M2	•	•
	3 H1	•	•
Preservation temperature	°C	•	•
	0/+2	•	•
	+2/+4	•	•
Horizontal display area*	m ²	5,18	6,45
	Energy class**	A G E	A G E



85 H205 MF



85 H218 MF

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.

LISBONA 2 VRT-A-1 TN V2C LINEARE R LF


Length without side panels	mm	1250		1875		2500		3750		
Height	cm	205	218	205	218	205	218	205	218	
Temperature class	3M1	•	•	•	•	•	•	•	•	
	3M2	•	•	•	•	•	•	•	•	
	3H1	•	•	•	•	•	•	•	•	
Preservation temperature	0/+2	•	•	•	•	•	•	•	•	
	+2/+4	•	•	•	•	•	•	•	•	
	+4/+6	•	•	•	•	•	•	•	•	
Horizontal display area*	m ²	Depth	85	3,87	5,8	7,74	11,61			
		95	3,99	5,99	7,99	11,98				
		105	4,12	6,18	8,24	12,36				
Energy class**	Depth	85-95	A-G E		A-G E		A-G E		A-G E	
		-105	A-G E		A-G E		A-G E		A-G E	

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.




85 H205 LF




85 H218 LF




95 H205 LF



95 H218 LF



105 H205 LF




105 H218 LF

LISBONA 2 VRT-A-1 TN V2C LINEARE R MF


Length without side panels	mm	1250		1875		2500		3750		
Height	cm	205	218	205	218	205	218	205	218	
Temperature class	3 M1	•	•	•	•	•	•	•	•	
	3 M2	•	•	•	•	•	•	•	•	
	3 H1	•	•	•	•	•	•	•	•	
Preservation temperature	0/+2	•	•	•	•	•	•	•	•	
	+2/+4	•	•	•	•	•	•	•	•	
	+4/+6	•	•	•	•	•	•	•	•	
Horizontal display area*	m ²	Depth 85	3,87		5,8		7,74		11,61	
		Depth 95	3,99		-	5,99	-	7,99	-	11,98
		Depth 105	4,12		6,18		8,24		12,36	
Energy class**	Depth	85 - 105	A G E		A G E		A G E		A G E	
		95	A G E		-	A G E	-	A G E	-	A G E

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.




85 H205 MF




85 H218 MF




95 H205 MF



95 H218 MF



105 H205 MF




105 H218 MF

LISBONA 2 VRT-A-1 TN V2C TESTATA R LF


Overall length	mm	1774		1875		2183	
Height	cm	205	218	205	218	205	218
Temperature class	3 M1	•		•		•	
	3 M2	•		•		•	
	3 H1	•		•		•	
Preservation temperature	°C	•		•		•	
	0/+2	•		•		•	
	+2/+4	•		•		•	
		•		•		•	
Horizontal display area*	m ²	5,18		5,8		6,45	
Energy class**		A+G E		A+G E		A+G E	

*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.




85 H205 LF




85 H218 LF

LISBONA 2 VRT-A-FC TN V LINEARE R

Length without side panels	mm	1250		1370	1875		2500		3750	
		205	218	218	205	218	205	218	205	218
Height	cm									
Temperature class	3M2	•	•	•	•	•	•	•	•	•
	3H1	•	•	•	•	•	•	•	•	•
	+2/+4	•	•	•	•	•	•	•	•	•
Preservation temperature	°C									
	+4/+6	•	•	•	•	•	•	•	•	•
Horizontal display area*	m ²	2,25	2,47	2,47	3,38	3,38	4,5	4,5	6,75	6,75
Energy class**		A G D		A G D	A G D		A G D		A G D	




110 H205



110 H218

LISBONA 2 VRT-A-PC TN V LINEARE R

Length without side panels	mm	2500	3750
		Height	cm
Temperature class	3M2	•	•
	3H1	•	•
	+2/+4	•	•
Preservation temperature	°C		
	+4/+6	•	•
Horizontal display area*	m ²	4,25	6,38
Energy class**		A G G	A G G



110 H218

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.

LISBONA 2 SVT-A-1 TN V LINEARE R LF


Length without side panels	mm	1250			1875			2500			3750			
Height	cm	125	150	165	125	150	165	125	150	165	125	150	165	
Temperature class	3 M1	•	•	•	•	•	•	•	•	•	•	•	•	
	3 M2	•	•	•	•	•	•	•	•	•	•	•	•	
Preservation temperature	0/+2	•	•	•	•	•	•	•	•	•	•	•	•	
	+2/+4	•	•	•	•	•	•	•	•	•	•	•	•	
Horizontal display area*	m ²	Depth	85	1,74	2,24	2,61	3,36	3,49	4,49	5,23	6,73			
			95	1,87	2,37	2,8	3,55	3,74	4,74	5,6	7,1			
			105	1,99	2,49	2,99	3,74	3,99	4,99	5,98	7,48			
Energy class**	Depth	85 - 95 - 105	A G F			A G F			A G F			A G F		

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.




85 H125 LF




85 H150 LF




85 H165 LF




95 H125 LF




95 H150 LF




95 H165 LF



105 H125 LF



105 H150 LF




105 H165 LF

LISBONA 2 SVT-A-1 TN V LINEARE R MF


Length without side panels	mm	1250			1875			2500			3750				
Height	cm	125	150	165	125	150	165	125	150	165	125	150	165		
Temperature class	3 M1	•	•	•	•	•	•	•	•	•	•	•	•		
	3 M2	•	•	•	•	•	•	•	•	•	•	•	•		
Preservation temperature	0/+2	•	•	•	•	•	•	•	•	•	•	•	•		
	+2/+4	•	•	•	•	•	•	•	•	•	•	•	•		
Horizontal display area*	m ²	Depth	85	-	2,24	-	-	3,36	-	-	4,49	-	-	6,73	-
			95	-	2,37	-	-	3,55	-	-	4,74	-	-	7,1	-
			105	1,99	2,49	2,99	3,74	3,99	4,99	5,98	7,48	-	-	-	-
Energy class**	Depth	85	-	A ↑ G F	-	-	A ↑ G F	-	-	A ↑ G F	-	-	A ↑ G F	-	
		95	-	A ↑ G F	-	-	A ↑ G F	-	-	A ↑ G F	-	-	A ↑ G F	-	
		105	-	A ↑ G F	-	-	A ↑ G F	-	-	A ↑ G F	-	-	A ↑ G F	-	

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.




85 H125 MF




85 H150 MF




85 H165 MF




95 H125 MF




95 H150 MF




95 H165 MF



105 H125 MF




105 H150 MF




105 H165 MF

LISBONA 2 SVT-A-1 TN V TESTATA R LF


Overall length	mm	1774		1975			2183		
Height	cm	125	150	125	150	165	125	150	165
Temperature class	3 M1	•		•			•		
	3 M2	•		•			•		
Preservation temperature	0/+2	•		•			•		
	+2/+4	•		•			•		
Horizontal display area*	m ²	2,33	3	2,61	3,36		2,9	3,74	
Energy class**		A G F		A G F			A G F		



85 H125 LF




85 H150 LF




85 H165 LF

LISBONA 2 SVT-A-1 TN V TESTATA R MF


Overall length	mm	1774
Height	cm	150
Temperature class	3 M1	•
	3 M2	•
Preservation temperature	0/+2	•
	+2/+4	•
Horizontal display area*	m ²	3
Energy class**		A G F



85 H125 MF



85 H150 MF



85 H165 MF

*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.