

SANTIAGO 2

VERTICAL GLASS-DOOR & SEMI-VERTICAL GLASS-DOOR • REMOTE REFRIGERATION UNIT



11/17/2022 content modifiable without notice.

arneg

ITALIA


YOUR GLOBAL PARTNER FOR RETAIL SOLUTIONS

SANTIAGO 2 VRT-C-1 TN V LINEARE R LF


Length without side panels		1250		1875		2500		3750		
Height	mm	205	218	205	218	205	218	205	218	
Temperature class	3 M0	•	•	•	•	•	•	•	•	
	3 M1	•	•	•	•	•	•	•	•	
	3 M2	•	•	•	•	•	•	•	•	
Preservation temperature	-1/+1	•	•	•	•	•	•	•	•	
	0/+2	•	•	•	•	•	•	•	•	
	+2/+4	•	•	•	•	•	•	•	•	
Horizontal display area*	m ²	Depth	85	3,87	5,8	7,74	11,61			
			95	3,99	5,99	7,99	11,98			
			105	4,12	6,18	8,24	12,36			
Energy class**	Depth	85-95	A G C		A G C		A G C		A G C	
		-105	A G C		A G C		A G C		A G C	

SANTIAGO 2 VRT-C-1 TN VAS LINEARE R LF


Length without side panels		1250		1875		2500		3750		
Height	mm	205	218	205	218	205	218	205	218	
Temperature class	3 M0	•	•	•	•	•	•	•	•	
	3 M1	•	•	•	•	•	•	•	•	
	3 M2	•	•	•	•	•	•	•	•	
Preservation temperature	-1/+1	•	•	•	•	•	•	•	•	
	0/+2	•	•	•	•	•	•	•	•	
	+2/+4	•	•	•	•	•	•	•	•	
Horizontal display area*	m ²	Depth	85	3,87	5,8	7,74	11,61			
			95	3,99	5,99	7,99	11,98			
			105	4,12	6,18	8,24	12,36			
Energy class**	Depth	85-95	A G C		A G C		A G C		A G C	
		-105	A G C		A G C		A G C		A G C	



85 H205 LF




95 H205 LF




105 H205 LF

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.



85 H218 LF




95 H218 LF




105 H218 LF

SANTIAGO 2 VRT-C-1 TN V LINEARE R MF


Length without side panels	mm		1250	1875	2500	3750
Height	cm		218	218	218	218
Temperature class		3 M0	•	•	•	•
		3 M1	•	•	•	•
		3 M2	•	•	•	•
Preservation temperature	°C	-1 / +1	•	•	•	•
		0 / +2	•	•	•	•
		+2 / +4	•	•	•	•
Horizontal display area*	m ²	Depth 85	3,87	5,8	7,74	11,61
		95	3,99	5,99	7,99	11,98
		105	4,12	6,18	8,24	12,36
Energy class**	Depth	85 - 95				
		- 105				



85 H218 MF



95 H218 MF



105 H218 MF

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.

SANTIAGO 2 VRT-C-1 TN V TESTATA R LF


Overall length	mm	1350		1774		1975		2183	
Height	cm	205	218	205	218	205	218	205	218
Temperature class	3 M0	-	-	-	•	•	•	•	•
	3 M1	-	-	-	•	•	•	•	•
	3 M2	-	-	-	•	•	•	•	•
Preservation temperature	°C	-1/+1	-	-	•	•	•	•	•
	0/+2	-	-	-	•	•	•	•	•
	+2/+4	-	-	-	•	•	•	•	•
Horizontal display area*	m ²	-	-	-	5,18	5,8	5,8	6,45	6,45
Energy class**		A C		A C		A C		A C	

SANTIAGO 2 VRT-C-1 TN V TESTATA R MF


Overall length	mm	2183
Height	cm	218
Temperature class	3 M0	•
	3 M1	•
	3 M2	•
Preservation temperature	°C	-1/+1
	0/+2	•
	+2/+4	•
Horizontal display area*	m ²	6,45
Energy class**		A C



85 H205 LF



85 H218 LF




85 H218 MF

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.

SANTIAGO 2 VRT-C-1 TN VAS TESTATA R LF

Overall length	mm	1774		1975		2183	
Height	cm	205	218	205	218	205	218
Temperature class	3 M0	•		•		•	
	3 M1	•		•		•	
	3 M2	•		•		•	
Preservation temperature	°C	•		•		•	
	-1/+1	•		•		•	
	0/+2	•		•		•	
		•		•		•	
Horizontal display area*	m ²	5,18		5,8		6,45	
Energy class**		A+ G C		A+ G C		A+ G C	



85 H205 LF




85 H218 LF

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.

SANTIAGO 2 SVT-C-1 TNV LINEARE R


Length without side panels	mm	1250			1875			2500			3750		
Height	cm	125	150	165	125	150	165	125	150	165	125	150	165
Temperature class	3 M0	•	•	•	•	•	•	•	•	•	•	•	•
	3 M1	•	•	•	•	•	•	•	•	•	•	•	•
	3 M2	•	•	•	•	•	•	•	•	•	•	•	•
Preservation temperature	°C	-1/+1	•	•	•	•	•	•	•	•	•	•	•
	0/+2	•	•	•	•	•	•	•	•	•	•	•	•
	+2/+4	•	•	•	•	•	•	•	•	•	•	•	•
Horizontal display area*	m ²	Depth	85	1,74	2,24	2,61	3,36	3,49	4,49	5,23	6,73		
		95	1,87	2,37	2,8	3,55	3,74	4,74	5,6	7,1			
		105	-	2,49	-	3,74	-	4,99	4,98	-	7,48	7,47	
Energy class**	Depth	85-95		A+G D		A+G D		A+G D		A+G D		A+G D	
		105	-	A+G D	-	A+G D	-	A+G D	-	A+G D			




85 H125 LF




95 H125 LF




105 H125 LF




85 H150 LF




95 H150 LF




105 H150 LF



85 H165 LF



95 H165 LF




105 H165 LF

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.

SANTIAGO 2 SVT-C-1 TN V TESTATA R


Overall length	mm	1774	1975	2183
Height	cm	125	165	150
Temperature class	3 M0	•	•	•
	3 M1	•	•	•
	3 M2	•	•	•
Preservation temperature	-1/+1	•	•	•
	0/+2	•	•	•
	+2/+4	•	•	•
Horizontal display area*	m ²	2,33	3,36	3,74
Energy class**		A+G D	A+G D	A+G D



85 H125 LF



85 H150 LF



85 H165 LF

*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.